


AMENDMENTS TO THE CLAIMS

1. **(Currently Amended)** A compound according to formula (II):







(II)

wherein:

wherein:

R<sub>1</sub> = R', R'C(O), R' C(S), R' SO<sub>2</sub>, R' OC(O), R' NHC(O)

R' =



X<sub>i,j</sub> = O, S, NH<sub>i,j</sub>; W, Y, Z = CH, N;


R'' = single or multiple ring substitution combinations taken from:

H, C1-7-alkyl, C3-6-cycloalkyl, OH, SH, amine, halogen;

R<sub>2</sub>, R<sub>4</sub> = H, C1-7-alkyl, C3-7-cycloalkyl;

R<sub>3</sub> = C1-7-alkyl, C3-7-cycloalkyl, Ar- C1-7-alkyl;

R<sub>5</sub> = C1-7-alkyl, halogen, Ar- C1-7-alkyl, C1-3-alkyl-CONR''' or R<sup>iv</sup>;

$R^{iv} =$ 

where  $n = 1-3$ ,  $m = 1-3$ ;

$R^v, R^{vi} = H$ , C1-7-alkyl;

$A = N, CH$ ;

$B = N, O, S, CH$ ;

$R^{vii} =$  absent when  $B = O, S$ ; or  $R^{vii} = H$ , C1-7-alkyl when  $B = N, CH$ ;

$R^{viii} = O$ , C1-7-alkyl;

$R_6 = H$ , C1-7-alkyl, Ar- C1-7-alkyl, C1-3-alkyl-SO<sub>2</sub>-R<sup>ix</sup>,

C1-3-alkyl-C(O)-NHR<sup>ix</sup> or CH<sub>2</sub>XAr;

wherein:

each C1-3 alkyl or C1-7-alkyl (used alone or in composite expressions) is optionally substituted by one or two halogens and/or a heteroatom S, O, NH, in which a heteroatom located at a chain terminus is optionally substituted with one or 2 hydrogen atoms or an S heteroatom is optionally oxidised to the sulphone;


each C3-6 or C3-7 cycloalkyl comprises a C1-7-alkyl which additionally contains a C3-6 or C3-7 carbocyclic ring, respectively; or the C3-6 or C3-7 cycloalkyl is spiro bound to the adjacent carbon without an intervening C1-C7;

each Ar- C1-7-alkyl comprises a phenyl, pyrazolyl, pyridyl, imidazolyl, oxazolyl, isoxazolyl, thiazinyl, isothiazinyl, thiazolyl, oxadiazolyl, 1,2,3-triazolyl, 1,2,4-triazolyl, furanyl or thienyl aromatic ring (Ar) attached through a C1-7-alkyl, which aromatic ring Ar is optionally substituted with halogen, C1-3-alkyl, OH, OC1-3-alkyl, SH, SC1-3-alkyl or amine;

and pharmaceutically acceptable salts thereof.

2. **(Original)** A compound according to claim 1, wherein R2 and/or R4 are hydrogen.

3. **(Original)** A compound according to claim 1, wherein R1 is R'C(O),




4. **(Original)** A compound according to claim 3, wherein R' is fur-3-yl or thien-3-yl

5. **(Original)** A compound according to claim 1, wherein R3 is n-butyl, t-butyl, 3-(2,2-dimethylpropyl), 4-(2-methylbutyl), 4-(3,3-dimethylbutyl), 4-(3,3-dimethyl-2-methylbutyl), 4-(3-methyl-2-methylbutyl) or 5-(2-methyl-3-methylpentyl).

6. **(Original)** A compound according to claim 5, wherein R3 is t-butyl, 3-(2,2-dimethylpropyl) or 4-(3,3-dimethyl-2-methylbutyl).








7. **(Original)** A compound according to claim 1, wherein R5 is CH<sub>3</sub>, C<sub>2</sub>H<sub>5</sub>, CH<sub>2</sub>Ar, CH<sub>2</sub>CONH<sub>2</sub>, (CH<sub>2</sub>)<sub>2</sub>CONH<sub>2</sub>,



8. **(Original)** A compound according to claim 7, wherein R5 is CH3 or CH2CH3.
9. **(Original)** A compound according to claim 1, wherein R5 has (S) stereochemistry.
10. **(Original)** A compound according to claim 1, wherein R6 is H or CH2XAr.
11. **(Original)** A compound according to claim 1, wherein




Where R' =



R2 and R4 = H;

R3 = n-butyl, t-butyl, 3-(2,2-dimethylpropyl), 4-(2-methylbutyl), 4-(3,3-dimethylbutyl), 4-(3,3-dimethyl-2-methylbutyl), 4-(3-methyl-2-methylbutyl), 5-(2-methyl-3-methylpentyl);

R5 = CH<sub>3</sub>, C<sub>2</sub>H<sub>5</sub>, CH<sub>2</sub>Ar, CH<sub>2</sub>CONH<sub>2</sub>, (CH<sub>2</sub>)<sub>2</sub>CONH<sub>2</sub>,



R6 = H, CH<sub>2</sub>-X-Ar or a pharmaceutically acceptable salt thereof

12. (Original) A compound which is selected from the group consisting of:  
 Furan-3-carboxylic acid [3,3-dimethyl-1S-(2S-methyl-4-oxo-tetrahydrofuran-3S-ylcarbamoyl)butyl]amide,  
 Furan-3-carboxylic acid [3,3-dimethyl-1S-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)butyl]amide,  
 Furan-3-carboxylic acid [1S-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-3,3-dimethylbutyl]amide,  
 Furan-3-carboxylic acid {1S-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]-3,3-dimethylbutyl}amide,  
 Furan-3-carboxylic acid [3,3-dimethyl-1S-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbamoyl)butyl]amide,  
 Furan-3-carboxylic acid [4-methyl-1S-(2S-methyl-4-oxo-tetrahydrofuran-3S-ylcarbamoyl)pentyl]amide,  
 Furan-3-carboxylic acid [4-methyl-1S-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)pentyl]amide,  
 Furan-3-carboxylic acid [1S-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-4-methylpentyl]amide,  
 Furan-3-carboxylic acid {1S-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]-4-methylpentyl}amide,  
 Furan-3-carboxylic acid [4-methyl-1S-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbamoyl)pentyl]amide,

Furan-3-carboxylic acid [3,3-dimethyl-1S-(2S-methyl-4-oxo-tetrahydrofuran-3S-ylcarbamoyl)pentyl]amide,

Furan-3-carboxylic acid [3,3-dimethyl-1S-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)pentyl]amide,

Furan-3-carboxylic acid [1S-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-3,3-dimethylpentyl]amide,

Furan-3-carboxylic acid {1S-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]-3,3-dimethylpentyl}amide,

Furan-3-carboxylic acid [3,3-dimethyl-1S-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbamoyl)pentyl]amide,

Furan-3-carboxylic acid [3,3,4-trimethyl-1S-(2S-methyl-4-oxo-tetrahydrofuran-3S-ylcarbamoyl)pentyl]amide,

Furan-3-carboxylic acid [3,3,4-trimethyl-1S-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)pentyl]amide,

Furan-3-carboxylic acid [1S-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-3,3,4-trimethylpentyl]amide,

Furan-3-carboxylic acid {1S-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]-3,3,4-trimethylpentyl}amide,

Furan-3-carboxylic acid [3,3,4-trimethyl-1S-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbamoyl)pentyl]amide,

Furan-3-carboxylic acid [3,4-dimethyl-1S-(2S-methyl-4-oxo-tetrahydrofuran-3S-ylcarbamoyl)pentyl]amide,

Furan-3-carboxylic acid [3,4-dimethyl-1S-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)pentyl]amide,

Furan-3-carboxylic acid [1S-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-3,4-dimethylpentyl]amide,

Furan-3-carboxylic acid {1S-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]-3,4-dimethylpentyl}amide,

Furan-3-carboxylic acid [3,4-dimethyl-1S-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbamoyl)pentyl]amide,

Furan-3-carboxylic acid [4,5-dimethyl-1S-(2S-methyl-4-oxo-tetrahydrofuran-3S-ylcarbamoyl)hexyl]amide,

Furan-3-carboxylic acid [4,5-dimethyl-1S-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)hexyl]amide,

Furan-3-carboxylic acid [1S-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-4,5-dimethylhexyl]amide,

Furan-3-carboxylic acid {1S-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]-4,5-dimethylhexyl}amide,

Furan-3-carboxylic acid [4,5-dimethyl-1S-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbamoyl)hexyl]amide,

Furan-3-carboxylic acid [3-methyl-1S-(2S-methyl-4-oxo-tetrahydrofuran-3S-ylcarbamoyl)-3-phenylbutyl]amide,

Furan-3-carboxylic acid [3-methyl-1S-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-3-phenylbutyl]amide,

Furan-3-carboxylic acid [1S-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-3-methyl-3-phenylbutyl]amide,

Furan-3-carboxylic acid {1S-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]-3-methyl-3-phenylbutyl}amide,

Furan-3-carboxylic acid [3-methyl-1S-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbamoyl)-3-phenylbutyl]amide,

Furan-3-carboxylic acid [3,3-dimethyl-1S-(2S-methyl-4-oxo-tetrahydrofuran-3S-ylcarbamoyl)-4-phenylbutyl]amide,

Furan-3-carboxylic acid [3,3-dimethyl-1S-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-4-phenylbutyl]amide,

Furan-3-carboxylic acid [1S-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-3,3-dimethyl-4-phenylbutyl]amide,

Furan-3-carboxylic acid {1S-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]-3,3-dimethyl-4-phenylbutyl}amide,

Furan-3-carboxylic acid [3,3-dimethyl-1S-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbamoyl)-4-phenylbutyl]amide,

Furan-3-carboxylic acid [3,3-dimethyl-1S-(2S-methyl-4-oxo-tetrahydrofuran-3S-ylcarbamoyl)-5-phenylpentyl]amide,  
Furan-3-carboxylic acid [3,3-dimethyl-1S-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-5-phenylpentyl]amide,  
Furan-3-carboxylic acid [1S-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-3,3-dimethyl-5-phenylpentyl]amide,  
Furan-3-carboxylic acid {1S-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]-3,3-dimethyl-5-phenylpentyl}amide,  
Furan-3-carboxylic acid [3,3-dimethyl-1S-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbamoyl)-5-phenylpentyl]amide,  
Thiophene-3-carboxylic acid [3,3-dimethyl-1S-(2S-methyl-4-oxo-tetrahydrofuran-3S-ylcarbamoyl)butyl]amide,  
Thiophene-3-carboxylic acid [3,3-dimethyl-1S-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)butyl]amide,  
Thiophene-3-carboxylic acid [1S-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-3,3-dimethylbutyl]amide,  
Thiophene-3-carboxylic acid {1S-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]-3,3-dimethylbutyl}amide,  
Thiophene-3-carboxylic acid [3,3-dimethyl-1S-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbamoyl)butyl]amide,  
Thiophene-3-carboxylic acid [4-methyl-1S-(2S-methyl-4-oxo-tetrahydrofuran-3S-ylcarbamoyl)pentyl]amide,  
Thiophene-3-carboxylic acid [4-methyl-1S-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)pentyl]amide,  
Thiophene-3-carboxylic acid [1S-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-4-methylpentyl]amide,  
Thiophene-3-carboxylic acid {1S-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]-4-methylpentyl}amide,  
Thiophene-3-carboxylic acid [4-methyl-1S-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbamoyl)pentyl]amide,



Thiophene-3-carboxylic acid [3,3-dimethyl-1S-(2S-methyl-4-oxo-tetrahydrofuran-3S-ylcarbamoyl)pentyl]amide,

Thiophene-3-carboxylic acid [3,3-dimethyl-1S-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)pentyl]amide,

Thiophene-3-carboxylic acid [1S-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-3,3-dimethylpentyl]amide,

Thiophene-3-carboxylic acid {1S-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]-3,3-dimethylpentyl}amide,

Thiophene-3-carboxylic acid [3,3-dimethyl-1S-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbamoyl)pentyl]amide,

Thiophene-3-carboxylic acid [3,3,4-trimethyl-1S-(2S-methyl-4-oxo-tetrahydrofuran-3S-ylcarbamoyl)pentyl]amide,

Thiophene-3-carboxylic acid [3,3,4-trimethyl-1S-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)pentyl]amide,

Thiophene-3-carboxylic acid [1S-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-3,3,4-trimethylpentyl]amide,

Thiophene-3-carboxylic acid {1S-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]-3,3,4-trimethylpentyl}amide,

Thiophene-3-carboxylic acid [3,3,4-trimethyl-1S-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbamoyl)pentyl]amide,

Thiophene-3-carboxylic acid [3,4-dimethyl-1S-(2S-methyl-4-oxo-tetrahydrofuran-3S-ylcarbamoyl)pentyl]amide,

Thiophene-3-carboxylic acid [3,4-dimethyl-1S-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)pentyl]amide,

Thiophene-3-carboxylic acid [1S-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-3,4-dimethylpentyl]amide,

Thiophene-3-carboxylic acid {1S-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]-3,4-dimethylpentyl}amide,

Thiophene-3-carboxylic acid [3,4-dimethyl-1S-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbamoyl)pentyl]amide,

Thiophene-3-carboxylic acid [4,5-dimethyl-1S-(2S-methyl-4-oxo-tetrahydrofuran-3S-ylcarbamoyl)hexyl]amide,

Thiophene-3-carboxylic acid [4,5-dimethyl-1S-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)hexyl]amide,

Thiophene-3-carboxylic acid [1S-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-4,5-dimethylhexyl]amide,

Thiophene-3-carboxylic acid {1S-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]-4,5-dimethylhexyl}amide,

Thiophene-3-carboxylic acid [4,5-dimethyl-1S-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbamoyl)hexyl]amide,

Thiophene-3-carboxylic acid [3-methyl-1S-(2S-methyl-4-oxo-tetrahydrofuran-3S-ylcarbamoyl)-3-phenylbutyl]amide,

Thiophene-3-carboxylic acid [3-methyl-1S-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-3-phenylbutyl]amide,

Thiophene-3-carboxylic acid [1S-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-3-methyl-3-phenylbutyl]amide,

Thiophene-3-carboxylic acid {1S-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]-3-methyl-3-phenylbutyl}amide,

Thiophene-3-carboxylic acid [3-methyl-1S-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbamoyl)-3-phenylbutyl]amide,

Thiophene-3-carboxylic acid [3,3-dimethyl-1S-(2S-methyl-4-oxo-tetrahydrofuran-3S-ylcarbamoyl)-4-phenylbutyl]amide,

Thiophene-3-carboxylic acid [3,3-dimethyl-1S-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-4-phenylbutyl]amide,

Thiophene-3-carboxylic acid [1S-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-3,3-dimethyl-4-phenylbutyl]amide,

Thiophene-3-carboxylic acid {1S-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]-3,3-dimethyl-4-phenylbutyl}amide,

Thiophene-3-carboxylic acid [3,3-dimethyl-1S-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbamoyl)-4-phenylbutyl]amide,

Thiophene-3-carboxylic acid [3,3-dimethyl-1S-(2S-methyl-4-oxo-tetrahydrofuran-3S-ylcarbamoyl)-5-phenylpentyl]amide,

Thiophene-3-carboxylic acid [3,3-dimethyl-1S-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-5-phenylpentyl]amide,

Thiophene-3-carboxylic acid [1S-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-3,3-dimethyl-5-phenylpentyl]amide,

Thiophene-3-carboxylic acid {1S-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]-3,3-dimethyl-5-phenylpentyl}amide,

Thiophene-3-carboxylic acid [3,3-dimethyl-1S-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbamoyl)-5-phenylpentyl]amide,

2-Methylfuran-3-carboxylic acid [3,3-dimethyl-1S-(2S-methyl-4-oxo-tetrahydrofuran-3S-ylcarbamoyl)butyl]amide,

2-Methylfuran-3-carboxylic acid [3,3-dimethyl-1S-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)butyl]amide,

2-Methylfuran-3-carboxylic acid [1S-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-3,3-dimethylbutyl]amide,

2-Methylfuran-3-carboxylic acid {1S-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]-3,3-dimethylbutyl}amide,

2-Methylfuran-3-carboxylic acid [3,3-dimethyl-1S-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbamoyl)butyl]amide,

2-Methylfuran-3-carboxylic acid [4-methyl-1S-(2S-methyl-4-oxo-tetrahydrofuran-3S-ylcarbamoyl)pentyl]amide,

2-Methylfuran-3-carboxylic acid [4-methyl-1S-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)pentyl]amide,

2-Methylfuran-3-carboxylic acid [1S-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-4-methylpentyl]amide,

2-Methylfuran-3-carboxylic acid {1S-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]-4-methylpentyl}amide,

2-Methylfuran-3-carboxylic acid [4-methyl-1S-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbamoyl)pentyl]amide,

2-Methylfuran-3-carboxylic acid [3,3-dimethyl-1S-(2S-methyl-4-oxo-tetrahydrofuran-3S-ylcarbamoyl)pentyl]amide,

2-Methylfuran-3-carboxylic acid [3,3-dimethyl-1S-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)pentyl]amide,

2-Methylfuran-3-carboxylic acid [1S-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-3,3-dimethylpentyl]amide,

2-Methylfuran-3-carboxylic acid {1S-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]-3,3-dimethylpentyl}amide,

2-Methylfuran-3-carboxylic acid [3,3-dimethyl-1S-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbamoyl)pentyl]amide,

2-Methylfuran-3-carboxylic acid [3,3,4-trimethyl-1S-(2S-methyl-4-oxo-tetrahydrofuran-3S-ylcarbamoyl)pentyl]amide,

2-Methylfuran-3-carboxylic acid [3,3,4-trimethyl-1S-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)pentyl]amide,

2-Methylfuran-3-carboxylic acid [1S-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-3,3,4-trimethylpentyl]amide,

2-Methylfuran-3-carboxylic acid {1S-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]-3,3,4-trimethylpentyl}amide,

2-Methylfuran-3-carboxylic acid [3,3,4-trimethyl-1S-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbamoyl)pentyl]amide,

2-Methylfuran-3-carboxylic acid [3,4-dimethyl-1S-(2S-methyl-4-oxo-tetrahydrofuran-3S-ylcarbamoyl)pentyl]amide,

2-Methylfuran-3-carboxylic acid [3,4-dimethyl-1S-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)pentyl]amide,

2-Methylfuran-3-carboxylic acid [1S-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-3,4-dimethylpentyl]amide,

2-Methylfuran-3-carboxylic acid {1S-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]-3,4-dimethylpentyl}amide,

2-Methylfuran-3-carboxylic acid [3,4-dimethyl-1S-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbamoyl)pentyl]amide,

2-Methylfuran-3-carboxylic acid [4,5-dimethyl-1S-(2S-methyl-4-oxo-tetrahydrofuran-3S-ylcarbamoyl)hexyl]amide,

2-Methylfuran-3-carboxylic acid [4,5-dimethyl-1S-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)hexyl]amide,

2-Methylfuran-3-carboxylic acid [1S-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-4,5-dimethylhexyl]amide,

2-Methylfuran-3-carboxylic acid {1S-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]-4,5-dimethylhexyl}amide,

2-Methylfuran-3-carboxylic acid [4,5-dimethyl-1S-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbamoyl)hexyl]amide,

2-Methylfuran-3-carboxylic acid [3-methyl-1S-(2S-methyl-4-oxo-tetrahydrofuran-3S-ylcarbamoyl)-3-phenylbutyl]amide,

2-Methylfuran-3-carboxylic acid [3-methyl-1S-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-3-phenylbutyl]amide,

2-Methylfuran-3-carboxylic acid [1S-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-3-methyl-3-phenylbutyl]amide,

2-Methylfuran-3-carboxylic acid {1S-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]-3-methyl-3-phenylbutyl}amide,

2-Methylfuran-3-carboxylic acid [3-methyl-1S-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbamoyl)-3-phenylbutyl]amide,

2-Methylfuran-3-carboxylic acid [3,3-dimethyl-1S-(2S-methyl-4-oxo-tetrahydrofuran-3S-ylcarbamoyl)-4-phenylbutyl]amide,

2-Methylfuran-3-carboxylic acid [3,3-dimethyl-1S-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-4-phenylbutyl]amide,

2-Methylfuran-3-carboxylic acid [1S-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-3,3-dimethyl-4-phenylbutyl]amide,

2-Methylfuran-3-carboxylic acid {1S-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]-3,3-dimethyl-4-phenylbutyl}amide,

2-Methylfuran-3-carboxylic acid [3,3-dimethyl-1S-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbamoyl)-4-phenylbutyl]amide,

2-Methylfuran-3-carboxylic acid [3,3-dimethyl-1S-(2S-methyl-4-oxo-tetrahydrofuran-3S-ylcarbamoyl)-5-phenylpentyl]amide,

2-Methylfuran-3-carboxylic acid [3,3-dimethyl-1S-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-5-phenylpentyl]amide,

2-Methylfuran-3-carboxylic acid [1S-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-3,3-dimethyl-5-phenylpentyl]amide,

2-Methylfuran-3-carboxylic acid {1S-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]-3,3-dimethyl-5-phenylpentyl}amide,

2-Methylfuran-3-carboxylic acid [3,3-dimethyl-1S-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbamoyl)-5-phenylpentyl]amide,

1H-Pyrrole-3-carboxylic acid [3,3-dimethyl-1S-(2S-methyl-4-oxo-tetrahydrofuran-3S-ylcarbamoyl)butyl]amide,

1H-Pyrrole-3-carboxylic acid [3,3-dimethyl-1S-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)butyl]amide,

1H-Pyrrole-3-carboxylic acid [1S-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-3,3-dimethylbutyl]amide,

1H-Pyrrole-3-carboxylic acid {1S-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]-3,3-dimethylbutyl}amide,

1H-Pyrrole-3-carboxylic acid [3,3-dimethyl-1S-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbamoyl)butyl]amide,

1H-Pyrrole-3-carboxylic acid [4-methyl-1S-(2S-methyl-4-oxo-tetrahydrofuran-3S-ylcarbamoyl)pentyl]amide,

1H-Pyrrole-3-carboxylic acid [4-methyl-1S-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)pentyl]amide,

1H-Pyrrole-3-carboxylic acid [1S-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-4-methylpentyl]amide,

1H-Pyrrole-3-carboxylic acid {1S-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]-4-methylpentyl}amide,

1H-Pyrrole-3-carboxylic acid [4-methyl-1S-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbamoyl)pentyl]amide,

- 1*H*-Pyrrole-3-carboxylic acid [3,3-dimethyl-1*S*-(2*S*-methyl-4-oxo-tetrahydrofuran-3*S*-ylcarbamoyl)pentyl]amide,
- 1*H*-Pyrrole-3-carboxylic acid [3,3-dimethyl-1*S*-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)pentyl]amide,
- 1*H*-Pyrrole-3-carboxylic acid [1*S*-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-3,3-dimethylpentyl]amide,
- 1*H*-Pyrrole-3-carboxylic acid {1*S*-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]-3,3-dimethylpentyl}amide,
- 1*H*-Pyrrole-3-carboxylic acid [3,3-dimethyl-1*S*-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbamoyl)pentyl]amide,
- 1*H*-Pyrrole-3-carboxylic acid [3,3,4-trimethyl-1*S*-(2*S*-methyl-4-oxo-tetrahydrofuran-3*S*-ylcarbamoyl)pentyl]amide,
- 1*H*-Pyrrole-3-carboxylic acid [3,3,4-trimethyl-1*S*-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)pentyl]amide,
- 1*H*-Pyrrole-3-carboxylic acid [1*S*-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-3,3,4-trimethylpentyl]amide,
- 1*H*-Pyrrole-3-carboxylic acid {1*S*-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]-3,3,4-trimethylpentyl}amide,
- 1*H*-Pyrrole-3-carboxylic acid [3,3,4-trimethyl-1*S*-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbamoyl)pentyl]amide,
- 1*H*-Pyrrole-3-carboxylic acid [3,4-dimethyl-1*S*-(2*S*-methyl-4-oxo-tetrahydrofuran-3*S*-ylcarbamoyl)pentyl]amide,
- 1*H*-Pyrrole-3-carboxylic acid [3,4-dimethyl-1*S*-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)pentyl]amide,
- 1*H*-Pyrrole-3-carboxylic acid [1*S*-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-3,4-dimethylpentyl]amide,
- 1*H*-Pyrrole-3-carboxylic acid {1*S*-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]-3,4-dimethylpentyl}amide,
- 1*H*-Pyrrole-3-carboxylic acid [3,4-dimethyl-1*S*-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbamoyl)pentyl]amide,

1*H*-Pyrrole-3-carboxylic acid [4,5-dimethyl-1*S*-(2*S*-methyl-4-oxo-tetrahydrofuran-3*S*-ylcarbamoyl)hexyl]amide,

1*H*-Pyrrole-3-carboxylic acid [4,5-dimethyl-1*S*-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)hexyl]amide,

1*H*-Pyrrole-3-carboxylic acid [1*S*-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-4,5-dimethylhexyl]amide,

1*H*-Pyrrole-3-carboxylic acid {1*S*-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]-4,5-dimethylhexyl}amide,

1*H*-Pyrrole-3-carboxylic acid [4,5-dimethyl-1*S*-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbamoyl)hexyl]amide,

1*H*-Pyrrole-3-carboxylic acid [3-methyl-1*S*-(2*S*-methyl-4-oxo-tetrahydrofuran-3*S*-ylcarbamoyl)-3-phenylbutyl]amide,

1*H*-Pyrrole-3-carboxylic acid [3-methyl-1*S*-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-3-phenylbutyl]amide,

1*H*-Pyrrole-3-carboxylic acid [1*S*-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-3-methyl-3-phenylbutyl]amide,

1*H*-Pyrrole-3-carboxylic acid {1*S*-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]-3-methyl-3-phenylbutyl}amide,

1*H*-Pyrrole-3-carboxylic acid [3-methyl-1*S*-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbamoyl)-3-phenylbutyl]amide,

1*H*-Pyrrole-3-carboxylic acid [3,3-dimethyl-1*S*-(2*S*-methyl-4-oxo-tetrahydrofuran-3*S*-ylcarbamoyl)-4-phenylbutyl]amide,

1*H*-Pyrrole-3-carboxylic acid [3,3-dimethyl-1*S*-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-4-phenylbutyl]amide,

1*H*-Pyrrole-3-carboxylic acid [1*S*-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-3,3-dimethyl-4-phenylbutyl]amide,

1*H*-Pyrrole-3-carboxylic acid {1*S*-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]-3,3-dimethyl-4-phenylbutyl}amide,

1*H*-Pyrrole-3-carboxylic acid [3,3-dimethyl-1*S*-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbamoyl)-4-phenylbutyl]amide,



1*H*-Pyrrole-3-carboxylic acid [3,3-dimethyl-1*S*-(2*S*-methyl-4-oxo-tetrahydrofuran-3*S*-ylcarbamoyl)-5-phenylpentyl]amide,  
 1*H*-Pyrrole-3-carboxylic acid [3,3-dimethyl-1*S*-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-5-phenylpentyl]amide,  
 1*H*-Pyrrole-3-carboxylic acid [1*S*-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-3,3-dimethyl-5-phenylpentyl]amide,  
 1*H*-Pyrrole-3-carboxylic acid {1*S*-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]-3,3-dimethyl-5-phenylpentyl}amide,  
 1*H*-Pyrrole-3-carboxylic acid [3,3-dimethyl-1*S*-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbamoyl)-5-phenylpentyl]amide,  
*N*-[3,3-dimethyl-1*S*-(2*S*-methyl-4-oxo-tetrahydrofuran-3*S*-ylcarbamoyl)butyl]benzamide,  
*N*-[3,3-dimethyl-1*S*-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)butyl]benzamide,  
*N*-[1*S*-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-3,3-dimethylbutyl]benzamide,  
*N*-{1*S*-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]-3,3-dimethylbutyl}benzamide,  
*N*-[3,3-dimethyl-1*S*-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbamoyl)butyl]benzamide,  
*N*-[4-methyl-1*S*-(2*S*-methyl-4-oxo-tetrahydrofuran-3*S*-ylcarbamoyl)pentyl]benzamide,  
*N*-[4-methyl-1*S*-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)pentyl]benzamide,  
*N*-[1*S*-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-4-methylpentyl]benzamide,  
*N*-{1*S*-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]-4-methylpentyl}benzamide,  
*N*-[4-methyl-1*S*-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbamoyl)pentyl]benzamide,  
*N*-[3,3-dimethyl-1*S*-(2*S*-methyl-4-oxo-tetrahydrofuran-3*S*-ylcarbamoyl)pentyl]benzamide,  
*N*-[3,3-dimethyl-1*S*-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)pentyl]benzamide,

*N*-[1*S*-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-3,3-dimethylpentyl]benzamide,  
*N*-{1*S*-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]-3,3-dimethylpentyl}benzamide,  
*N*-[3,3-dimethyl-1*S*-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbamoyl)pentyl]benzamide, *N*-[3,3,4-trimethyl-1*S*-(2*S*-methyl-4-oxo-tetrahydrofuran-3*S*-ylcarbamoyl)pentyl]benzamide,  
*N*-[3,3,4-trimethyl-1*S*-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)pentyl]benzamide,  
*N*-[1*S*-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-3,3,4-trimethylpentyl]benzamide,  
*N*-{1*S*-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]-3,3,4-trimethylpentyl}benzamide,  
*N*-[3,3,4-trimethyl-1*S*-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbamoyl)pentyl]benzamide,  
*N*-[3,4-dimethyl-1*S*-(2*S*-methyl-4-oxo-tetrahydrofuran-3*S*-ylcarbamoyl)pentyl]benzamide,  
*N*-[3,4-dimethyl-1*S*-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)pentyl]benzamide,  
*N*-[1*S*-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-3,4-dimethylpentyl]benzamide,  
*N*-{1*S*-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]-3,4-dimethylpentyl}benzamide,  
*N*-[3,4-dimethyl-1*S*-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbamoyl)pentyl]benzamide,  
*N*-[4,5-dimethyl-1*S*-(2*S*-methyl-4-oxo-tetrahydrofuran-3*S*-ylcarbamoyl)hexyl]benzamide,  
*N*-[4,5-dimethyl-1*S*-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)hexyl]benzamide,  
*N*-[1*S*-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-4,5-dimethylhexyl]benzamide,  
*N*-{1*S*-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]-4,5-dimethylhexyl}benzamide,

*N*-[4,5-dimethyl-1*S*-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbamoyl)hexyl]benzamide,  
*N*-[3-methyl-1*S*-(2*S*-methyl-4-oxo-tetrahydrofuran-3*S*-ylcarbamoyl)-3-phenylbutyl]benzamide,  
*N*-[3-methyl-1*S*-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-3-phenylbutyl]benzamide,  
*N*-[1*S*-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-3-methyl-3-phenylbutyl]benzamide,  
*N*-{1*S*-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]-3-methyl-3-phenylbutyl}benzamide,  
*N*-[3-methyl-1*S*-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbamoyl)-3-phenylbutyl]benzamide,  
*N*-[3,3-dimethyl-1*S*-(2*S*-methyl-4-oxo-tetrahydrofuran-3*S*-ylcarbamoyl)-4-phenylbutyl]benzamide,  
*N*-[3,3-dimethyl-1*S*-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-4-phenylbutyl]benzamide,  
*N*-[1*S*-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-3,3-dimethyl-4-phenylbutyl]benzamide,  
*N*-{1*S*-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]-3,3-dimethyl-4-phenylbutyl}benzamide,  
*N*-[3,3-dimethyl-1*S*-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbamoyl)-4-phenylbutyl]benzamide,  
*N*-[3,3-dimethyl-1*S*-(2*S*-methyl-4-oxo-tetrahydrofuran-3*S*-ylcarbamoyl)-5-phenylpentyl]benzamide,  
*N*-[3,3-dimethyl-1*S*-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-5-phenylpentyl]benzamide,  
*N*-[1*S*-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-3,3-dimethyl-5-phenylpentyl]benzamide,  
*N*-{1*S*-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]-3,3-dimethyl-5-phenylpentyl}benzamide,

*N*-[3,3-dimethyl-1*S*-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbamoyl)-5-phenylpentyl]benzamide,  
Morpholine-4-carboxylic acid [3,3-dimethyl-1*S*-(2*S*-methyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)butyl]amide,  
Morpholine-4-carboxylic acid [3,3-dimethyl-1*S*-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)butyl]amide,  
Morpholine-4-carboxylic acid [1*S*-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-3,3-dimethylbutyl]amide,  
Morpholine-4-carboxylic acid {1*S*-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]-3,3-dimethylbutyl}amide,  
Morpholine-4-carboxylic acid [3,3-dimethyl-1*S*-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbamoyl)butyl]amide,  
Morpholine-4-carboxylic acid [4-methyl-1*S*-(2*S*-methyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)pentyl]amide,  
Morpholine-4-carboxylic acid [4-methyl-1*S*-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)pentyl]amide,  
Morpholine-4-carboxylic acid [1*S*-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-4-methylpentyl]amide,  
Morpholine-4-carboxylic acid {1*S*-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]-4-methylpentyl}amide,  
Morpholine-4-carboxylic acid [4-methyl-1*S*-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbamoyl)pentyl]amide,  
Morpholine-4-carboxylic acid [3,3-dimethyl-1*S*-(2*S*-methyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)pentyl]amide,  
Morpholine-4-carboxylic acid [3,3-dimethyl-1*S*-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)pentyl]amide,  
Morpholine-4-carboxylic acid [1*S*-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-3,3-dimethylpentyl]amide,  
Morpholine-4-carboxylic acid {1*S*-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]-3,3-dimethylpentyl}amide,

Morpholine-4-carboxylic acid [3,3-dimethyl-1S-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbamoyl)pentyl]amide,

Morpholine-4-carboxylic acid [3,3,4-trimethyl-1S-(2S-methyl-4-oxo-tetrahydrofuran-3S-ylcarbamoyl)pentyl]amide,

Morpholine-4-carboxylic acid [3,3,4-trimethyl-1S-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)pentyl]amide,

Morpholine-4-carboxylic acid [1S-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-3,3,4-trimethylpentyl]amide,

Morpholine-4-carboxylic acid {1S-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]-3,3,4-trimethylpentyl}amide,

Morpholine-4-carboxylic acid [3,3,4-trimethyl-1S-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbamoyl)pentyl]amide,

Morpholine-4-carboxylic acid [3,4-dimethyl-1S-(2S-methyl-4-oxo-tetrahydrofuran-3S-ylcarbamoyl)pentyl]amide,

Morpholine-4-carboxylic acid [3,4-dimethyl-1S-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)pentyl]amide,

Morpholine-4-carboxylic acid [1S-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-3,4-dimethylpentyl]amide,

Morpholine-4-carboxylic acid {1S-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]-3,4-dimethylpentyl}amide,

Morpholine-4-carboxylic acid [3,4-dimethyl-1S-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbamoyl)pentyl]amide,

Morpholine-4-carboxylic acid [4,5-dimethyl-1S-(2S-methyl-4-oxo-tetrahydrofuran-3S-ylcarbamoyl)hexyl]amide,

Morpholine-4-carboxylic acid [4,5-dimethyl-1S-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)hexyl]amide,

Morpholine-4-carboxylic acid [1S-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-4,5-dimethylhexyl]amide,

Morpholine-4-carboxylic acid {1S-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]-4,5-dimethylhexyl}amide,

Morpholine-4-carboxylic acid [4,5-dimethyl-1S-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbamoyl)hexyl]amide,

Morpholine-4-carboxylic acid [3-methyl-1S-(2S-methyl-4-oxo-tetrahydrofuran-3S-ylcarbamoyl)-3-phenylbutyl]amide,

Morpholine-4-carboxylic acid [3-methyl-1S-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-3-phenylbutyl]amide,

Morpholine-4-carboxylic acid [1S-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-3-methyl-3-phenylbutyl]amide,

Morpholine-4-carboxylic acid {1S-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]-3-methyl-3-phenylbutyl}amide,

Morpholine-4-carboxylic acid [3-methyl-1S-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbamoyl)-3-phenylbutyl]amide,

Morpholine-4-carboxylic acid [3,3-dimethyl-1S-(2S-methyl-4-oxo-tetrahydrofuran-3S-ylcarbamoyl)-4-phenylbutyl]amide,

Morpholine-4-carboxylic acid [3,3-dimethyl-1S-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-4-phenylbutyl]amide,

Morpholine-4-carboxylic acid [1S-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-3,3-dimethyl-4-phenylbutyl]amide,

Morpholine-4-carboxylic acid {1S-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]-3,3-dimethyl-4-phenylbutyl}amide,

Morpholine-4-carboxylic acid [3,3-dimethyl-1S-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbamoyl)-4-phenylbutyl]amide,

Morpholine-4-carboxylic acid [3,3-dimethyl-1S-(2S-methyl-4-oxo-tetrahydrofuran-3S-ylcarbamoyl)-5-phenylpentyl]amide,

Morpholine-4-carboxylic acid [3,3-dimethyl-1S-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-5-phenylpentyl]amide,

Morpholine-4-carboxylic acid [1S-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-3,3-dimethyl-5-phenylpentyl]amide,

Morpholine-4-carboxylic acid {1S-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]-3,3-dimethyl-5-phenylpentyl}amide,


Morpholine-4-carboxylic acid [3,3-dimethyl-1S-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbonyl)-5-phenylpentyl]amide,  
or a pharmaceutically acceptable salt thereof.

13. **(Original)** A pharmaceutical composition comprising a compound according to any preceding claim and a pharmaceutically acceptable carrier.

14. **(Canceled)**


15. **(Canceled)**

16. **(Currently Amended)** A compound of the formula IV



where

R1 is R'C(=O)- or R'-S(=O)<sub>2</sub>-  
R' is



X, = O, S, NH,

W, Y, Z = CH, N;

R'' = single or multiple ring substitution combinations taken from:


H, C1-7-alkyl, C3-6-cycloalkyl, OH, SH, amine, halogen;

R3 = C1-7-alkyl, C2-C7 alkenyl, C3-7-cycloalkyl, Ar, Ar-C1-7-alkyl, Ar-C1-C7-alkyl;

R4 = H, C1-7-alkyl, C3-7-cycloalkyl; C2-7alkenyl, Ar, ArC1-7-alkyl;

R5 = C1-7-alkyl, hydroxy- or halo-substituted C1-C7alkyl, halogen, Ar-C1-7-alkyl, C0-3-alkyl-CONR3R4 or R<sup>iv</sup>;

R<sup>iv</sup> =



where n = 1-3, m = 1-3;

R<sup>v</sup>, R<sup>vi</sup> = H, C1-7-alkyl;

A = N, CH;

B = N, O, S, CH;

R<sup>vii</sup> = absent when B = O, S; or R<sup>vii</sup> = H, C1-7-alkyl when B = N, CH;

R<sup>viii</sup> = O, C1-7-alkyl;

R6 = H, C1-7-alkyl, Ar-C1-7-alkyl, C1-3-alkyl-SO2-R<sup>ix</sup>, C1-3-alkyl-C(O)-NHR<sup>ix</sup> or CH<sub>2</sub>XAr;

R<sup>ix</sup> is C1-7 alkyl, ArC1-7-alkyl or C3-6-cycloalkyl;

wherein;

each C1-3 alkyl or C1-7-alkyl (used alone or in composite expressions) is optionally substituted by one or two halogens and/or a heteroatom S, O, NH, in which a heteroatom located at a chain terminus is optionally substituted with one or two hydrogen atoms or an S heteroatom is optionally oxidised to the sulphone;

each C3-6 or C3-7 cycloalkyl comprises a C1-7-alkyl which additionally contains a C3-6 or C3-7 carbocyclic ring, respectively; or the C3-6 or C3-7 cycloalkyl is spiro bound to the adjacent carbon without an intervening C1-C7;




each Ar- C1-7-alkyl comprises a phenyl, pyrazolyl, pyridyl, imidazolyl, oxazolyl, isoxazolyl, thiazinyl, isothiazinyl, thiazolyl, oxadiazolyl, 1,2,3-triazolyl, 1,2,4-triazolyl, furanyl or thienyl aromatic ring (Ar) attached through a C1-7-alkyl, which aromatic ring Ar is optionally substituted with halogen, C1-3-alkyl, OH, OC1-3-alkyl, SH, SC1-3-alkyl or amine and pharmaceutically acceptable salts thereof.

17. **(Original)** A compound according to claim 16, wherein R<sub>4</sub> and/or R<sub>6</sub> are hydrogen.

18. **(Original)** A compound according to claim 16, wherein R<sub>1</sub> is R'C(O).

19. **(Original)** A compound according to claim 18,




20. **(Original)** A compound according to claim 19, wherein R' is fur-3-yl or thien-3-yl.

21. **(Original)** A compound according to claim 19, wherein R' is phenyl having multiple substitutions selected from C1-7 alkyl, C3-6-cycloalkyl, OH, SH, amine and halogen.

22. **(Original)** A compound according to claim 21 wherein the substitutions are at the 3 and 4 position of the phenyl.

23. **(Original)** A compound according to claim 16 wherein R3 has the S stereochemistry.
24. **(Original)** A compound according to claim 23, wherein R3 is n-butyl, t-butyl, 3-(2,2-dimethylpropyl), 4-(2-methylbutyl), 4-(3,3-dimethylbutyl), 4-(3,3-dimethyl-2-methylbutyl), 4-(3-methyl-2-methylbutyl) or 5-(2-methyl-3-methylpentyl).
25. **(Original)** A compound according to claim 24, wherein R3 is t-butyl, 3-(2,2-dimethylpropyl) or 4-(3,3-dimethyl-2-methylbutyl).
26. **(Original)** A compound according to claim 16, wherein R3 is C3-C6 cycloalkyl.
27. **(Original)** A compound according to claim 26 wherein R3 is the side chain of L-cyclohexylalanine or L-cyclopentylalanine.
28. **(Original)** A compound according to claim 16, wherein R5 is CH<sub>3</sub>, C<sub>2</sub>H<sub>5</sub>, CH<sub>2</sub>OH, CH<sub>2</sub>Ar, CH<sub>2</sub>CONH<sub>2</sub>, (CH<sub>2</sub>)<sub>2</sub>CONH<sub>2</sub>,



29. **(Original)** A compound according to claim 28, wherein R5 is CH<sub>3</sub>, CH<sub>2</sub>CH<sub>3</sub> or CH<sub>2</sub>OH.
30. **(Original)** A compound according to claim 16, wherein R5 has (S) stereochemistry.

31. **(Original)** A compound according to claim 30, wherein the pyranone 4-bond also has the (S) stereochemistry.

32. **(Original)** A compound according to claim 16 wherein R5 has the (R) stereochemistry.

33. **(Currently Amended)** A compound according to claim 32 wherein the pyranone 4-bond also has the (R) stereochemistry.

34. **(Original)** A compound selected from the group consisting of

Furan-3-carboxylic acid (1S)-[3,3-dimethyl-1-(3-methyl-5-oxo-tetrahydro-pyran-4-ylcarbamoyl)-butyl]-amide

Furan-3-carboxylic acid (1S)-[2-cyclohexyl-1-(3-methyl-5-oxo-tetrahydro-pyran-4-ylcarbamoyl)-ethyl]-amide

(1S)-N-[3,3-Dimethyl-1-(3-methyl-5-oxo-tetrahydro-pyran-4-ylcarbamoyl)-butyl]-benzamide

(1S)-N-[2-Cyclohexyl-1-(3-methyl-5-oxo-tetrahydro-pyran-4-ylcarbamoyl)-ethyl]-benzamide

(1S)-N-[3,3-Dimethyl-1-(3-methyl-5-oxo-tetrahydro-pyran-4-ylcarbamoyl)-butyl]-4-hydroxy-3-methyl-benzamide

(1S)-N-[2-Cyclohexyl-1-(3-methyl-5-oxo-tetrahydro-pyran-4-ylcarbamoyl)-ethyl]-4-hydroxy-3-methyl-benzamide

Furan-3-carboxylic acid (1S)-[2-cyclopentyl-1-(3-methyl-5-oxo-tetrahydro-pyran-4-ylcarbamoyl)-ethyl]-amide

(1S)-N-[2-Cyclopentyl-1-(3-methyl-5-oxo-tetrahydro-pyran-4-ylcarbamoyl)-ethyl]-benzamide

(1S)-N-[2-Cyclopentyl-1-(3-methyl-5-oxo-tetrahydro-pyran-4-ylcarbamoyl)-ethyl]-4-hydroxy-3-methyl-benzamide

Furan-3-carboxylic acid (1S)-[3,3-dimethyl-1-(3-ethyl-5-oxo-tetrahydro-pyran-4-ylcarbamoyl)-butyl]-amide

Furan-3-carboxylic acid (1S)-[2-cyclohexyl-1-(3-ethyl-5-oxo-tetrahydro-pyran-4-ylcarbamoyl)-ethyl]-amide

(1S)-N-[3,3-Dimethyl-1-(3-ethyl-5-oxo-tetrahydro-pyran-4-ylcarbamoyl)-butyl]-benzamide

(1S)-N-[2-Cyclohexyl-1-(3-ethyl-5-oxo-tetrahydro-pyran-4-ylcarbamoyl)-ethyl]-benzamide

(1S)-N-[3,3-Dimethyl-1-(3-ethyl-5-oxo-tetrahydro-pyran-4-ylcarbamoyl)-butyl]-4-hydroxy-3-methyl-benzamide  
 (1S)-N-[2-Cyclohexyl-1-(3-ethyl-5-oxo-tetrahydro-pyran-4-ylcarbamoyl)-ethyl]-4-hydroxy-3-methyl-benzamide  
 Furan-3-carboxylic acid (1S)-[2-cyclopentyl-1-(3-ethyl-5-oxo-tetrahydro-pyran-4-ylcarbamoyl)-ethyl]-amide  
 (1S)-N-[2-Cyclopentyl-1-(3-ethyl-5-oxo-tetrahydro-pyran-4-ylcarbamoyl)-ethyl]-benzamide  
 (1S)-N-[2-Cyclopentyl-1-(3-ethyl-5-oxo-tetrahydro-pyran-4-ylcarbamoyl)-ethyl]-4-hydroxy-3-methyl-benzamide  
  
 Furan-3-carboxylic acid (1S)-[3,3-dimethyl-1-(3-propyl-5-oxo-tetrahydro-pyran-4-ylcarbamoyl)-butyl]-amide  
 Furan-3-carboxylic acid (1S)-[2-cyclohexyl-1-(3-propyl-5-oxo-tetrahydro-pyran-4-ylcarbamoyl)-ethyl]-amide  
 (1S)-N-[3,3-Dimethyl-1-(3-propyl-5-oxo-tetrahydro-pyran-4-ylcarbamoyl)-butyl]-benzamide  
 (1S)-N-[2-Cyclohexyl-1-(3-propyl-5-oxo-tetrahydro-pyran-4-ylcarbamoyl)-ethyl]-benzamide  
 (1S)-N-[3,3-Dimethyl-1-(3-propyl-5-oxo-tetrahydro-pyran-4-ylcarbamoyl)-butyl]-4-hydroxy-3-methyl-benzamide  
 (1S)-N-[2-Cyclohexyl-1-(3-propyl-5-oxo-tetrahydro-pyran-4-ylcarbamoyl)-ethyl]-4-hydroxy-3-methyl-benzamide  
 Furan-3-carboxylic acid (1S)-[2-cyclopentyl-1-(3-propyl-5-oxo-tetrahydro-pyran-4-ylcarbamoyl)-ethyl]-amide  
 (1S)-N-[2-Cyclopentyl-1-(3-propyl-5-oxo-tetrahydro-pyran-4-ylcarbamoyl)-ethyl]-benzamide  
 (1S)-N-[2-Cyclopentyl-1-(3-propyl-5-oxo-tetrahydro-pyran-4-ylcarbamoyl)-ethyl]-4-hydroxy-3-methyl-benzamide  
 and pharmaceutically acceptable salts thereof

35. **(Original)** A compound according to claim 34 having the 3S,4S configuration.
36. **(Original)** A compound according to claim 34 having the 3R,4R configuration.
37. **(Original)** A pharmaceutical composition comprising a compound according to claim 16 and a pharmaceutically acceptable carrier.

38. **(Original)** A pharmaceutical composition comprising a compound according to claim 34 and a pharmaceutically acceptable carrier.
39. **(Canceled)**
40. **(Currently Amended)** A method for the preparation of a compound as defined in claim 16, comprising the steps of manipulating the protecting groups on a suitably protected carbohydrate derivative to effect deoxygenation at the anomeric position, introducing the R5 substituent via a ketone functionality, ~~for example by Wittig chemistry,~~ introducing the 4-amino group by further manipulation of the remaining carbohydrate oxygen functionality to provide a protected 4-amino-5-substituted pyranone, N-extending the amine function using peptide chemistry and adding the R'C(=O) or R'S(=O)<sub>2</sub> capping group.
41. **(Original)** A method for the preparation of a compound as defined in claim 16, comprising the steps of diazotising an O-protected, acyclic carboxylic derivative of a suitably derivatised 3-amino-4-substituted lactone, cyclising the diazomethylketone produced to afford a protected 4-amino-5-substituted pyranone, N-extending the amine function using peptide chemistry and adding the R'C(=O) or R'S(=O)<sub>2</sub> capping group
42. **(New)** The method according to claim 40, wherein said R5 substituent is introduced via Wittig chemistry.
43. **(New)** A compound according to claim 1, wherein C1-3 alkyl or C1-7-alkyl (used alone or in composite expressions) is optionally substituted by one or two halogens and/or a heteroatom S, O, NH, in which a heteroatom located at a chain terminus is optionally substituted with one or 2 hydrogen atoms.

44. **(New)** A compound according to claim 1, wherein each C3-6 or C3-7 cycloalkyl comprises a C1-7-alkyl which additionally contains a C3-6 or C3-7 cycloalkyl ring, respectively.
45. **(New)** A compound according to claim 1, wherein each C3-6 or C3-7 cycloalkyl comprises a C1-7-alkyl which additionally contains a C3-6 carbocyclic ring, selected from cyclopropyl, cyclobutyl, cyclopentyl or cyclohexyl.
46. **(New)** A compound according to claim 16, wherein C1-3 alkyl or C1-7-alkyl (used alone or in composite expressions) is optionally substituted by one or two halogens and/or a heteroatom S, O, NH, in which a heteroatom located at a chain terminus is optionally substituted with one or 2 hydrogen atoms.
47. **(New)** A compound according to claim 16, wherein each C3-6 or C3-7 cycloalkyl comprises a C1-7-alkyl which additionally contains a C3-6 or C3-7 cycloalkyl ring, respectively.
48. **(New)** A compound according to claim 16, wherein each C3-6 or C3-7 cycloalkyl comprises a C1-7-alkyl which additionally contains a C3-6 carbocyclic ring, selected from cyclopropyl, cyclobutyl, cyclopentyl or cyclohexyl.